

32M Flash Memory

| | |
|---------------|----------------------------|
| Manufacturers | Intel Corp |
| Package/Case | BGA-64 |
| Product Type | Integrated Circuits (ICs) |
| RoHS | |
| Lifecycle | |



Images are for reference only

Please submit RFQ for PC28F320C3TD70 or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

PC28F320C3TD70 is a flash memory device manufactured by Intel Corporation. Here are its features:

Features

Density: 32 Mb

Organization: 4 M x 8

Voltage range: 2.7V to 3.6V

Package: 48-pin TSOP

Access time: 70 ns

Erase Sectors: 4 KByte

Write Page Size: 64 Bytes

Application

AM29LV320MT120EI by AMD

S29GL032N90TFI030 by Cypress Semiconductor

M29F320DT70N1 by Micron Technology

K9F3208U0B-PCB0 by Samsung Semiconductor

W29C032P-90B by Winbond Electronics





Related Products



[PC28F512M29EWH](#)

Intel Corp
BGA-64



[PC28F512M29EWL](#)

Intel Corp
BGA064NOR




[PC28F256M29EWH](#)

Intel Corp
BGA-64




[PC28F256M29EWL](#)

Intel Corp
BGA64



[PC28F640J3D75](#)

Intel Corp
BGA-64



[PC28F128P33B85](#)

Intel Corp
BGA-64



[PC28F256P30B](#)

Intel Corp
EBGA64



[PC28F128J3D-75](#)

Intel Corp
FBGA