

Manufacturers	<u>AMD Xilinx, Inc</u>
Package/Case	PLCC-20
Product Type	Programmable Logic ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for XC1736DJC or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

XC1736DJC is a specific model of Complex Programmable Logic Device (CPLD) developed by Xilinx, a leading manufacturer of programmable logic devices.

Features

- Number of Logic Cells: 36
- Max Operating Frequency: 133 MHz
- Number of I/O Pins: 36
- Total User-Accessible I/O Pins: 32
- Operating Voltage: 3.3V
- Package Type: 44-pin PLCC

Application

- Industrial control systems
- Telecommunications equipment
- Medical equipment
- Test and measurement equipment
- Consumer electronics



Related Products




[XC18V01S020C](#)

AMD Xilinx, Inc
SOP-20



[XCF04SV0G20C](#)

AMD Xilinx, Inc
TSSOP20



[XC6SLX4-2CSG225C](#)

AMD Xilinx, Inc
BGA-225




[XCF08PV0G48C](#)

AMD Xilinx, Inc
TSOP-48




[XC6SLX25-3FTG256C](#)

AMD Xilinx, Inc
BGA-256



[XC6SLX16-3CSG324C](#)

AMD Xilinx, Inc
BGA-324



[XCV50-6BG256C](#)

AMD Xilinx, Inc

BGA256



[XCF32PVO48C](#)

AMD Xilinx, Inc

TSOP48