

Li-Ion Battery Charge Management Controller; Package: 10L DFN 3x3mm; Temperature Range: 150C / 1hr w/1 24 hours, Battery Management Dual cell OVP battery charger

Manufacturers	Microchip Technology, Inc
Package/Case	DFN-10
Product Type	Power Management ICs
RoHS	Rohs
Lifecycle	



Images are for reference only

Please submit RFQ for MCP73213-B6SI/MF or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The MCP73213 is a dual cell, highly integrated Li-Ion battery charge management controller for use in space-limited and cost-sensitive applications. The MCP73213 can accept an absolute maximum of 18V input and provides a 13V overvoltage protection. The output current can be programmed to be between 130 mA and 1100 mA. The MCP73213 is specified over the ambient temperature range of -40°C to +85°C and is available in a 10 lead, 3x3 mm DFN package.

Related Products



[MCP1725-3302E/MC](#)

Microchip Technology, Inc
DFN-8



[MCP1702T-2502E/CB](#)

Microchip Technology, Inc
SOT-23A-3



[MCP1702T-5002E/CB](#)

Microchip Technology, Inc
SOT-23



[MCP1700T-2502E/TT](#)

Microchip Technology, Inc
SOT-23-3



[MCP1700T-3002E/TT](#)

Microchip Technology, Inc
SOT-23-3



[MCP73830T-2AAI/MYY](#)

Microchip Technology, Inc
TDFN-6



[MCP1826T-ADJE/DC](#)

Microchip Technology, Inc
SOT-223-5



[MCP1703T-5002E/CB](#)

Microchip Technology, Inc
SOT-23A-3