

DC/DC Cntrlr Single-OUT Step Down 165kHz Automotive 16-Pin SSOP N Tube

Manufacturers	Analog Devices, Inc
Package/Case	SSOP-1
Product Type	Power Management ICs
RoHS	Pb-free Halide free
Lifecycle	



Images are for reference only

Please submit RFQ for LTC1625CGN#PBF or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The LTC1625 is a synchronous step-down switching regulator controller that drives external N-Channel power MOSFETs using few external components. Current mode control with MOSFET VDS sensing eliminates the need for a sense resistor and improves efficiency. The frequency of a nominal 150kHz internal oscillator can be synchronized to an external clock over a 1.5:1 frequency range.

Burst Mode™ operation at low load currents reduces switching losses and low dropout operation extends operating time in battery-powered systems. A forced continuous mode control pin can assist secondary winding regulation by disabling Burst Mode operation when the main output is lightly loaded.

Fault protection is provided by foldback current limiting and an output overvoltage comparator. An external capacitor attached to the RUN/SS pin provides soft start capability for supply sequencing. A wide supply range allows operation from 3.7V (3.9V for LTC1625I) to 36V at the input and 1.19V to VIN at the output.

Features

Highest Efficiency Current Mode Controller

No Sense Resistor Required

Stable High Current Operation

Dual N-Channel MOSFET Synchronous Drive

Wide VIN Range: 3.7V to 36V

Wide VOUT Range: 1.19V to VIN

Programmable Fixed Frequency with Injection Lock

Very Low Drop Out Operation: 99% Duty Cycle

Forced Continuous Mode Control Pin

Optional Programmable Soft Start

Pin Selectable Output Voltage

Foldback Current Limit

Output Overvoltage Protection

Logic Controlled Micropower Shutdown: $I_Q < 30\mu A$

Available in 16-Lead Narrow SSOP and SO Packages

Application

Notebook and Palmtop Computers, PDAs

Cellular Telephones and Wireless Modems

Battery Chargers

Distributed Power



LTC1625CGN#PBF

Rev:
382790.1

COO: MY / N
0604 100


US and/or
Int'l Patent No: 6847854

0580268

6304066

5994886

5481178



Related Products



[LT3763EFE](#)

Analog Devices, Inc
TSSOP28



[LT1038CK](#)

Analog Devices, Inc
TO-3



[LTC4417IUF](#)

Analog Devices, Inc
QFN-24



[LTC3440EMS](#)

Analog Devices, Inc
MSOP10



[LTC1966CMS8#PBF](#)

Analog Devices, Inc
MSOP-8P



[LTC2990IMS#PBF](#)

Analog Devices, Inc
10MSOP



[LTM8045EY#PBF](#)

Analog Devices, Inc

BGA40



[LT4295IUFD#PBF](#)

Analog Devices, Inc

28-WFQFN