

## MOC3083SR2VM

Data Sheet

Triac & SCR Output Optocouplers 6Pin800V Optocoupler Zero Cross Triac Dr

Manufacturers ON Semiconductor, LLC

Package/Case PDIP-6

Product Type Optocouplers / Photocouplers

RoHS Rohs

Lifecycle



Images are for reference only

Please submit RFQ for MOC3083SR2VM or Email to us: sales@ovaga.com We will contact you in 12 hours.

**RFO** 

## **General Description**

The MOC3081M, MOC3082M and MOC3083M devices consist of a GaAs infrared emitting diode optically coupled to a monolithic silicon detector performing the function of a zero voltage crossing bilateral triac driver. They are designed for use with a discrete power triac in the interface of logic systems to equipment powered from 240 VAC lines, such as solid-state relays, industrial controls, motors, solenoids and consumer appliances, etc.

**Features** Application

Simplifies Logic Control of 240 VAC Power

**ONSEMI** 

Zero Voltage Crossing to Minimize Conducted and Radiated Line Noise

800 V Peak Blocking Voltage

Superior Static dv/dt

1500 V/µs Typical, 600 V/µs Guaranteed

Safety and Regulatory Approvals

UL1577, 4,170 VACRMS for 1 Minute

DIN EN/IEC60747-5-5



## **Related Products**



**MOC3052M** 

ON Semiconductor, LLC DIP-6



MOCD213M

ON Semiconductor, LLC SOIC-8



MOC3043SR2M

ON Semiconductor, LLC SOP-6



MOCD223R2M

ON Semiconductor, LLC SOIC-8



**MOC3022M** 

ON Semiconductor, LLC DIP6



**MOC3083SR2M** 

ON Semiconductor, LLC PDIP-6



MOC3023SR2M

ON Semiconductor, LLC PDIP-6



**MOC3081M** 

ON Semiconductor, LLC PDIP-6