

AD8056ARZ

Data Sheet

<u>RFO</u>

Operational Amplifie	r, Dual, 2 Amplifier,	, 300 MHz, 1400	V/ μ s, \pm 4V to \pm	6V, SOIC, 8 Pins
----------------------	-----------------------	-----------------	-------------------------------	------------------

Manufacturers	Analog Devices, Inc	1222 PAR
Package/Case	SOP-8	
Product Type	Amplifier ICs	1333
RoHS	Pb-free Halide free	
Lifecycle		Images are for reference only

General Description

The AD8056 (dual) voltage feedback amplifier offers bandwidth and slew rate typically found in current feedback amplifiers. Additionally, this amplifier is easy to use and available at a very low cost.

Please submit RFQ for AD8056ARZ or Email to us; sales@ovaga.com We will contact you in 12 hours.

Despite its low cost, the AD8056 provides excellent overall performance. For video applications, its differential gain and phase error is 0.01% and 0.02° into a 150 Ω load, and 0.02% and 0.1° while driving four video loads (37.50 Ω).

Its 0.1 dB flatness out to 40 MHz, wide bandwidth out to 300 MHz, along with 1400 V/µs slew rate and 20 ns settlingtime, make them useful for a variety of high-speed applications.

The AD8056 requires only 5 mA typ/amplifier of supply current and operates on a dual \pm 5 V or single +12 V powersupply, while capable of delivering over 60 mA of loadcurrent. The AD8056 is available in a small 8-lead PDIP, 8-lead SOIC, and 8-lead MSOP packages. These features make the AD8056 ideal for portable and battery powered applications where size and power are critical. This amplifier in the R-8, N-8 and RM-8 packages are available in the extended temperature range of -40°C to +125°C.

AD8055 (Single) PDIP-8, SOIC-8 and SOT-23-5

AD8056 (Dual) PDIP-8, SOIC-8 and MSOP-8

Features

Low cost

Easy to use voltage feedback architecture

High speed300 MHz, -3 dB bandwidth>

Small packaging

High output drive current: over 60 mA

Excellent video = +2) Gain flatness 0.1 dB to 40 MHz0.01% differential gain error0.02° differential phase error

Drives 4 video loads (37.5 V) with 0.02% differential gain and 0.1° differential phase

Low power, ±5 V supplies 5 mA typ/amplifier power supply current

Related Products



Analog Devices, Inc MSOP-8



Analog Devices, Inc MSOP-8



AD8567ARUZ Analog Devices, Inc TSSOP-14



AD8022ARMZ Analog Devices, Inc MSOP-8



ADA4528-2ARMZ-R7

Analog Devices, Inc MSOP-8

AD8062ARMZ



Analog Devices, Inc MSOP8

AD8628AUJZ

Analog Devices, Inc SOP23



AD8041AR

Analog Devices, Inc SOP-8



ADA4084-2ARMZ