

Operational Amplifier, Single, 1 Amplifier, 600 kHz, 0.3 V/ μ s, $\pm 3V$ to $\pm 18V$, SOIC, 8 Pins

Manufacturers	Analog Devices, Inc
Package/Case	SO8
Product Type	Amplifier ICs
RoHS	Pb-free Halide free
Lifecycle	



Images are for reference only

Please submit RFQ for OP177FSZ or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description

The OP177 features one of the highest precision performance of any operational amplifier currently available. Offset voltage of the OP177 is only 25 μ V maximum at room temperature. The ultralow VOS of the OP177 combines with the exceptional offset voltage drift (TCVOS) of 0.3 μ V/ $^{\circ}$ C maximum to eliminate the need for external VOS adjustment and increases system accuracy over temperature.

The OP177 open-loop gain of 12 V/ μ V is maintained over the full ± 10 V output range. CMRR of 130 dB minimum, PSRR of 120 dB minimum, and maximum supply current of 2 mA are just a few examples of the excellent performance of this operational amplifier. The combination of outstanding specifications of the OP177 ensures accurate performance in high closed-loop gain applications.

This low noise, bipolar input operational amplifier is also a cost effective alternative to chopper-stabilized amplifiers. The OP177 provides chopper-type performance without the usual problems of high noise, low frequency chopper spikes, large physical size, limited common-mode input voltage range, and bulky external storage capacitors.

The OP177 is offered in the -40° C to $+85^{\circ}$ C extended industrial temperature ranges. This product is available in 8-lead PDIP, as well as the space saving 8-lead SOIC.

Features

Ultralow offset

Outstanding offset voltage drift 0.3 $\mu\text{V}/^\circ\text{C}$ maximum

Excellent open-loop gain and gain linearity

12 $\text{V}/\mu\text{V}$ typical

CMRR: 130 dB minimum

PSRR: 115 dB minimum


Low supply current 2.0 mA maximum

Fits industry-standard precision operational amplifier sockets





Related Products




[OP213F](#)

Analog Devices, Inc
SMD/DIP-8/SOP-8




[OP42AZ](#)

Analog Devices, Inc
CDIP-8



[OP27GP](#)

Analog Devices, Inc
PDIP-8



[OP37GS](#)

Analog Devices, Inc
SOIC-8




[OP462GSZ](#)

Analog Devices, Inc
SOIC-14



[OP2177ARM](#)

Analog Devices, Inc
MSOP8



[OP467GPZ](#)

Analog Devices, Inc
PDIP-14



[OP400GPZ](#)

Analog Devices, Inc
PDIP-14