


CMOS Dual RS232 Transmitter/Receiver, 4.5V-5.5V supply, WSOIC-16

Manufacturers	Analog Devices, Inc
Package/Case	SO-16
Product Type	Interface ICs
RoHS	
Lifecycle	



Images are for reference only

Please submit RFQ for MAX232CWE+ or [Email to us: sales@ovaga.com](mailto:sales@ovaga.com) We will contact you in 12 hours.

[RFQ](#)

General Description


MAX232CWE+ is a type of IC (integrated circuit) that is commonly used as a voltage level converter and RS-232 serial interface transceiver. It is manufactured by Maxim Integrated and is a member of the MAX232 family of devices.

Features

- Dual charge pump voltage converters
- Operates with 5V power supply
- Four RS-232 drivers and receivers
- Meets EIA/TIA-232E and V.28/V.24 specifications
- Has a temperature range of -40°C to +85°C
- Comes in a small MSOP package

Application

- Converting between TTL/CMOS logic levels and RS-232 levels
- Connecting microcontrollers to serial devices such as modems, printers, and terminals
- Implementing serial communication in embedded systems



Related Products




[MAX3232EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX4544EUT+T](#)

Analog Devices, Inc
SOT-23-6



[MAX202CSE](#)

Analog Devices, Inc
SOP-16




[MAX485ECPA](#)

Analog Devices, Inc
DIP-8



[MAX3221EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX3223EEUE](#)

Analog Devices, Inc
TSSOP-16



[MAX490MJA](#)

Analog Devices, Inc
CDIP-8



[MAX3232EUE](#)

Analog Devices, Inc
TSSOP-16